

IN THE UNITED STATES PATENT OFFICE

37162
#2
DC
2-20-03

CUSTOMER NO. 23607

Our Ref.: PT1950001

Application Serial No. 10/020,881

Applicant: Dialysis Solutions Inc.

Agent: Neil H. Hughes, P.Eng.
Ivor M. Hughes,
Barrister & Solicitor
Patent & Trademark Agents
Suite 200,
175 Commerce Valley Dr. W.
Thornhill, Ontario
Canada L3T 7P6

RECEIVED
APR 17 2002
TECHNOLOGY CENTER R3700

Title: STERILE BICARBONATE-FREE DIALYSIS
CONCENTRATE SOLUTIONS

Inventors: Sheldon Tobe

Due Date: April 19, 2002

INFORMATION DISCLOSURE STATEMENT

April 15, 2002

The Commissioner of Patents
UNITED STATES PATENT OFFICE
2011 South Clark Place
Crystal Plaza 2, Room 1B03
Arlington, Virginia U.S.A. 22202

Dear Sir:

Applicants and the undersigned are aware of "patents, publications, or other information" which they believe may be material to the examination of the above-identified application. Copies of these items, and one sheet of Form PTO-1449 listing them, are submitted herewith pursuant to 37 C.F.R. §§ 1.97-1.99 and to the duty of disclosure set forth in 37. C.F.R. § 1.56.

As Applicant has not received an Office Action from the United States Patent Office with regard to this application, Applicant believes that no fee is required in accordance with 37 CFR §1.97. However, if a fee is required for the filing of this information disclosure statement, please obtain such fee from Deposit Account 08-3255 and advise Applicant's Agent.

Although this Information Disclosure Statement identifies references which may be "material," it is not intended to constitute an admission that any patent, publication, or other information referred to is "prior art" (within the meaning of 35 U.S.C. §102 and §103) as to the invention disclosed and claimed in this application unless specifically designated as such. Moreover, no representation is intended as to the relative relevance of any portion of the references or as to the relevance among references, whether cited in this Statement or elsewhere.

In accordance with 37 C.F.R. §1.97(b), the filing of this Information Disclosure Statement shall not be construed to mean that a novelty search has been made or that no other information which may be material (as defined in 37 C.F.R. §1.56(a)) exists.

UNITED STATES PATENT DOCUMENTS

U.S. Patent No. 5,211,643 to Reinhardt et al

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Yatzidis et al., *"Hemodialysis with a New Single Stable Bicarbonate Dialysate"*,
Nephron, Vol. 64, 1993; 27-31

F. H. Leenen, et al., *"Hemodynamic Changes During Acetate and Bicarbonate Hemodialysis"*, Artificial Organs 8(4), 1984; 411-417

M. Kaye et al., *"Calcium-free Dialyzate: Development and Applications"*,
Clinical Nephrology, Vol. 31, No. 3, 1989; 132-138

M. Kaye and D. Fisher, "*Changes in Intact Parathyroid Hormone Levels During Hemodialysis Following Exposure to Either Differing Dialyzate Calcium Concentrations or Calcium-Free Dialysis with Varying Calcium Infusion Rates*",
Clinical Nephrology, Vol. 34, No. 2, 1990; 84-87

M. Kaye, "*Long-term studies using a calcium-free dialysate*",
Clinical Nephrology, Vol. 40, No. 4, 1993; 221-224

P.Y.W. Tam et al., "*Slow Continuous Hemodialysis for the Management of Complicated Acute Renal Failure in an Intensive Care Unit*",
Clinical Nephrology, Vol. 30, No. 2, 1988; 79-85

E.F.H. Van Bommel et al., "*Acute Dialytic Support for the Critically Ill: Intermittent Hemodialysis Versus Continuous Arteriovenous Hemodiafiltration*",
Am. J. Nephrol., Vol. 15, 1995; 192-200

E.F.H. Van Bommel, "*Are Continuous Therapies Superior to Intermittent Haemodialysis for Acute Renal Failure on the Intensive Care Unit?*",
Nephrol Dial. Transplant 1995 Editorial Comments, p. 311


A. Davenport et al., "*Hyperlactataemia and Metabolic Acidosis During Haemofiltration Using Lactate-Buffered Fluids*", Nephron, Vol. 59, 1991; 461-465

M. Leblanc et al., "*Bicarbonate Dialysate for Continuous Renal Replacement Therapy in Intensive Care Unit Patients With Acute Renal Failure*",
Am. J. Kidney Diseases, Vol. 26, No. 6, 1995; 910-917

Knaus W.A. et al., "*APACHE II: A Severity of Disease Classification System*",
Critical Care Med., Vol. 13, No. 10, 1985; 818-827

Jordan, D.A. et al., "*Evaluation of Sepsis in a Critically ill Surgical Population*",
Critical Care Med., Vol. 15, No. 10, 1987; 897-904

Respectfully submitted,



Neil H. Hughes, P.Eng.
Registration #33,636
Agent for Applicant

NHH:mse
Enclosures

CITATION OF PRIOR ART



Sheet 1 of 1

FORM PT0-1449 (REV. 8-83)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	APP. DOCKET NO. 1-1950001	APPLICATION SERIAL NO. 10/020,881
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)		APPLICANT DIALYSIS SOLUTIONS INC.	
CUSTOMER NO. 23607		FILING DATE 12/19/2001	GROUP ART UNIT 3762

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	5,211,643	05/18/93	Reinhardt et al	604	416	05/25/90

FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

RECEIVED

APR 17 2002

TECHNOLOGY CENTER R3700

	Yatzidis et al., "Hemodialysis with a New Single Stable Bicarbonate Dialysate", Nephron, Vol. 64, 1993; 27-31
	F.H. Leenen, et al., "Hemodynamic Changes During Acetate and Bicarbonate Hemodialysis", Artificial Organs 8(4), 1984; 411-417
	M. Kaye et al., "Calcium-free Dialysate: Development and Applications", Clinical Nephrology, Vol. 31, No. 3, 1989; 132-138
	M. Kaye and D. Fisher, "Changes in Intact Parathyroid Hormone Levels During Hemodialysis Following Exposure to Either Differing Dialysate Calcium Concentrations or Calcium-Free Dialysis with Varying Calcium Infusion Rates", Clinical Nephrology, Vol. 34, No. 2, 1990; 84-87
	M. Kaye, "Long-term studies using a calcium-free dialysate", Clinical Nephrology, Vol. 40, No. 4, 1993; 221-224
	P.Y.W. Tam et al., "Slow Continuous Hemodialysis for the Management of Complicated Acute Renal Failure in an Intensive Care Unit", Clinical Nephrology, Vol. 30, No. 2, 1988; 79-85
	E.F.H. Van Bommel et al., "Acute Dialytic Support for the Critically Ill: Intermittent Hemodialysis Versus Continuous Arteriovenous Hemodiafiltration", Am. J. Nephrol., Vol. 15, 1995; 192-200
	E.F.H. Van Bommel, "Are Continuous Therapies Superior to Intermittent Haemodialysis for Acute Renal Failure on the Intensive Care Unit?", Nephrol Dial. Transplant 1995 Edit. Comm., p. 311
	A. Davenport et al., "Hyperlactataemia and Metabolic Acidosis During Haemofiltration Using Lactate-Buffered Fluids", Nephron, Vol. 59, 1991; 461-465
	M. Leblanc et al., "Bicarbonate Dialysate for Continuous Renal Replacement Therapy in Intensive Care Unit Patients With Acute Renal Failure", Am. J. Kidney Diseases, Vol. 26, No. 6, 1995; 910-917
	Knaus W.A. et al., "APACHE II: A Severity of Disease Classification System", Critical Care Med., Vol. 13, No. 10, 1985; 818-827
	Jordan, D.A. et al., "Evaluation of Sepsis in a Critically ill Surgical Population", Critical Care Med., Vol. 15, No. 10, 1987; 897-904

EXAMINER	DATE CONSIDERED
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	